


VANITY



VL18236-WH

NEW




VL18248-BN
Shown with backplate accessory







VL18236-GD



VL18224-WH



VL18224-BK



SEE MATCHING PRODUCTS FROM THE COLLECTION

Chandelier - Page 148 Linear Pendant - Page 180 Wall Sconce - Page 276 Ceiling - Page 379

VEGA MINOR - VL18248 / VL18236 / VL18224

Square profile linear aluminum with rectangular wall mount
 Optional adapter plate for larger junction box
 Inset opal polymeric diffuser
 Finely textured plate or powder-coat finish
 Down light
 Dimmable with ELV or TRIAC dimmer (not included)
 Custom options available

	VL18248	VL18236	VL18224
WATTAGE:	43W	32W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3885*	2835*	1575*
DELIVERED LUMENS:	1940*	1550*	600*

*All data based on Brushed Nickel finish. See spec sheet for detail.

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS

FINISH:	BK - Black BN - Brushed Nickel CH - Chrome GD - Gold WH - White
----------------	---




*Preliminary figures

NEW




VL94842-AS



VL94826-BK



VL94826-AN



OROS - VL94842 / VL94826

Diecast aluminum rings with translucent acrylic diffusers
 Metallic brushed finish or matte powder-coated
 Outward emitting light
 May be mounted horizontally or vertically
 Dimmable with ELV or TRIAC dimmer (not included)
 Custom options available

	VL94842	VL94826
WATTAGE:	48W	36W
VOLTAGE:	120V	120V
TOTAL LUMENS:	4500	3240
DELIVERED LUMENS:	2704*	1835*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS

FINISH:
 AN - Antique Brass
 BK - Black
 AS - Antique Silver





VL94842-BK




WS83427-BK


NEW



WS83427-BK



WS83421-VB



WS83427

WS83421

LOCHWOOD - WS83427 / WS83421

Square powder-coated steel frame
 Extruded aluminum heatsink mounted to square wall plate
 Cylindrical opal glass diffuser
 Outward emitting wall light
 Dimmable with ELV dimmer (not included)
 Custom options available

	WS83427	WS83421
WATTAGE:	31.5W	20W
VOLTAGE:	120V	120V
TOTAL LUMENS:	2400	1600
DELIVERED LUMENS:	1560*	780*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	BK - Black VB - Vintage Brass



*Preliminary figures

NEW





VL16727-BK




VL16720-BB



VL16720-CH



WS16727



WS16720



BRAZEN - VL16727 / VL16720

Extruded aluminum quatrefoil lamps on rectangular wall mount
 Finely textured powder-coat or plated finish
 Opal diffuser caps
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available

	VL16727	VL16720
WATTAGE:	30W	20W
VOLTAGE:	120V	120V
TOTAL LUMENS:	2400	1800
DELIVERED LUMENS:	1560*	1170*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS

FINISH: BB - Brushed Brass
 BK - Black
 CH - Chrome







VL34424-BK

NEW





VL34424-BK



VL34424-BN



VL34424-WH



PLAZA - VL34424

Square profile linear aluminum frame
 Inset opal polymeric diffusers
 Finely textured plate or powder-coat finish
 Adjustable direction light within rotational arms
 Dimmable with ELV or TRIAC dimmer (not included)
 Custom options available

WATTAGE: 36W
VOLTAGE: 120V
TOTAL LUMENS: 3780*
DELIVERED LUMENS: 1520*
 *All data based on Brushed Nickel finish. See spec sheet for detail.

COLOR TEMP: 3000K
CRI (RA): >90
DIMMING: 100%-10%
RATED LIFE: 50,000 HOURS

FINISH: BK - Black
 BN - Brushed Nickel
 WH - White



*Preliminary figures



RONA - VL17024 / WS17014

Electroplated steel backplate and turned aluminum body
 Extruded opal glass diffuser
 VL17024 may be mounted horizontally or vertically
 Up and down light / Up light
 Dimmable with ELV dimmer (not included)
 Custom options available

	VL17024	WS17014
WATTAGE:	29W	14.5W
VOLTAGE:	120V	120V
TOTAL LUMENS:	2400*	1200
DELIVERED LUMENS:	1800	850

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS


FINISH: BN - Brushed Nickel
 CH - Chrome
 VB - Vintage Brass







VL47337-CH





VL47337-VB



VL47321-CH




VL47321-VB



WS47305-CH



WS47305-VB



PLUTO - VL47337 / VL47321 / WS47305

Die-cast aluminum dome and formed steel mount with plated finish
 Clear polymeric diffuser with offset etched interior surface
 Up or down light
 Dimmable with ELV dimmer (not included)
 Custom options available


	VL47337	VL47321	WS47305
WATTAGE:	27.5W	16.5W	6W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	2000	1200	400
DELIVERED LUMENS:	1834*	1039*	360*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome VB - Vintage Brass





VL17224-CH



FRESNO - VL17224

Electroplated steel body and extruded aluminum housing
Extruded opal glass diffuser of 24" length
May be mounted horizontally or vertically
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available



WATTAGE: 29W
VOLTAGE: 120V
TOTAL LUMENS: 2400*
DELIVERED LUMENS: 1800

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
RATED LIFE 50,000 HOURS
FINISH: CH - Chrome



*Preliminary figures





VL7524-CH

CHARLESTON - VL7524


Cylindrical white frosted glass with electroplated, formed steel detail
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available

WATTAGE: 20W
VOLTAGE: 120V
TOTAL LUMENS: 1200*
DELIVERED LUMENS: 1100*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
RATED LIFE 50,000 HOURS
FINISH: CH - Chrome



VL14624-BN



VL14624-CH

MAYFAIR - VL14624

Electroplated aluminum and steel, polished or brushed
 Cylindrical white opal glass
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available

WATTAGE: 23W*
VOLTAGE: 120V
TOTAL LUMENS: 1800*
DELIVERED LUMENS: 1230*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
RATED LIFE 50,000 HOURS

FINISH: BN - Brushed Nickel
 CH - Chrome



*Preliminary figures




VL13424-BK



VL13424-BN



VL13424-CH



SOHO - VL13424

Square polymeric diffuser with
electroplated formed steel details
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available


WATTAGE: 29W
VOLTAGE: 120V
TOTAL LUMENS: 2400
DELIVERED LUMENS: 1896*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
RATED LIFE 50,000 HOURS

FINISH:
BK - Black
BN - Brushed Nickel
CH - Chrome







VL17524-CH



TRIBECA - VL17524

Hexagonal white opal glass with dual electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

WATTAGE: 32W*
VOLTAGE: 120V
TOTAL LUMENS: 2400*
DELIVERED LUMENS: 1680*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
RATED LIFE 50,000 HOURS

FINISH: CH - Chrome



VL16024-CH

NOLITA - VL16024



Hexagonal white opal glass with single electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

WATTAGE: 32W
VOLTAGE: 120V
TOTAL LUMENS: 2400*
DELIVERED LUMENS: 1630*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
RATED LIFE 50,000 HOURS

FINISH: CH - Chrome





VL17124-CH


MENDOCINO - VL17124

Cylindrical white opal glass with electroplated formed steel detail
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available

WATTAGE: 30W
VOLTAGE: 120V
TOTAL LUMENS: 2400*
DELIVERED LUMENS: 1633*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
RATED LIFE 50,000 HOURS

FINISH: CH - Chrome



VL17324-CH

CAMDEN - VL17324

Cylindrical white opal glass with square-section single formed steel detail
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available


WATTAGE: 29W
VOLTAGE: 120V
TOTAL LUMENS: 2400*
DELIVERED LUMENS: 1800

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%–10%
RATED LIFE 50,000 HOURS

FINISH: CH - Chrome



*Preliminary figures




JANE - VL62236 / VL62224 / VL62220

Rectangular white acrylic diffuser with electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL62236	VL62224	VL62220
WATTAGE:	40W	27W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3600	2400*	1600
DELIVERED LUMENS:	2140*	1615*	1066*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
FINISH:	BK - Black CH - Chrome



FERGUSON - VL60236 / VL60224 / VL60220

Rounded - rectangular acrylic diffuser with electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL60236	VL60224	VL60220
WATTAGE:	40W	27W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3600	2400*	1600
DELIVERED LUMENS:	2400*	1400*	900*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
FINISH:	BK - Black CH - Chrome








VL61236-CH



VL61224-BK



VL61220-CH



LONGITUDE - VL61236 / VL61224 / VL61220

Obround white acrylic diffuser with electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL61236	VL61224	VL61220
WATTAGE:	40W	27W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3600	2400*	1600
DELIVERED LUMENS:	2442*	1400*	826*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	BK - Black CH - Chrome






VL47237-CH



VL47225-BK



VL47221-CH




LATITUDE - VL47237 / VL47225 / VL47221

Rectangular white acrylic with electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available


	VL47237	VL47225	VL47221
WATTAGE:	40W	27W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3600	2400*	1600
DELIVERED LUMENS:	2400*	1400*	900*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	BK - Black CH - Chrome






VL6236



VL6224



VL6220



VL6236-CH



VL6224-CH



VL6220-CH


JANE-SLIM - VL6236 / VL6224 / VL6220




Rectangular white acrylic diffuser with electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL6236	VL6224	VL6220
WATTAGE:	40W	26W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3600	2400	1600
DELIVERED LUMENS:	2178*	1456*	1067*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome



VL6036



VL6024



VL6020



VL6036-CH



VL6024-CH



VL6020-CH

FERGUSON-SLIM - VL6036 / VL6024 / VL6020




Rounded - rectangular acrylic diffuser with electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL6036	VL6024	VL6020
WATTAGE:	40W	26W	20W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3600	2400	1600
DELIVERED LUMENS:	2030*	1400*	920*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome




VL4737-CH



VL4737-CH




VL4725-CH



VL4725-CH



VL4721-CH



VL4721-CH

LATITUDE-SLIM - VL4737 / VL4725 / VL4721



Rectangular white acrylic with
electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL4737	VL4725	VL4721
WATTAGE:	39W	29W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3600	2400	1600
DELIVERED LUMENS:	2331*	1625*	1195*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome

*Preliminary figures




WS7012-BK



WS7022-CH



WS7033-VB




X-CALIBUR - WS7033 / WS7022 / WS7012

Frosted rectangular white glass with electroplated steel details
 May be mounted vertically or horizontally
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available


	WS7033	WS7022	WS7012
WATTAGE:	39W	29.5W	14.5W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3200	2400*	1200
DELIVERED LUMENS:	2283*	1752*	800*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	BK - Black CH - Chrome VB - Vintage Brass





701314CH-LED



701313-LED



701314-LED



701313CH-LED

SEE MATCHING PRODUCTS FROM THE COLLECTION

Wall Sconce - Page 317

WATFORD - 701314-LED / 701313-LED


Rectangular frosted glass with electroplated formed steel details
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	701314CH-LED	701313CH-LED	COLOR TEMP	3000K
WATTAGE:	39W	29W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
TOTAL LUMENS:	3200	2400*	RATED LIFE	50,000 HOURS
DELIVERED LUMENS:	2094*	1604	FINISH:	CH - Chrome

--	--



VL2424-BN



VL2424



VL2436



VL2436-CH

SEE MATCHING PRODUCTS FROM THE COLLECTION

Wall Sconce - Page 317

CROYDON - VL2436 / VL2424

Rectangular frosted glass with single electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL2436	VL2424	COLOR TEMP	3000K
WATTAGE:	29W	21W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%-10%
TOTAL LUMENS:	2400*	1600	RATED LIFE	50,000 HOURS
DELIVERED LUMENS:	1600*	1170*	FINISH:	BN - Brushed Nickel CH - Chrome

--	--



*Preliminary figures

NEW FINISH
BK
Black




WS8332-BN



WS8324-CH



WS8318-BK



BUTE - WS8332 / WS8324 / WS8318

Cylindrical white opal glass with electroplated steel details
Up and down light
May be mounted vertically or horizontally
Dimmable with ELV dimmer (not included)
Custom options available

	WS8332	WS8324	WS8318
WATTAGE:	39W	30W	19W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3200	2400*	1600
DELIVERED LUMENS:	2400*	1834*	650

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS

FINISH: BK - Black
BN - Brushed Nickel
CH - Chrome



NEW FINISH
BK
 Black




WS8432-BN



WS8424-CH



WS8418-BK



MELVILLE - WS8432 / WS8424 / WS8418

Rectangular white opal glass with electroplated steel details
 Up and down light
 May be mounted vertically or horizontally
 Dimmable with ELV dimmer (not included)
 Custom options available

	WS8432	WS8424	WS8418
WATTAGE:	39W	26W	21W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	3200	2400*	1600
DELIVERED LUMENS:	2460	1724*	1215*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS

FINISH:
 BK - Black
 BN - Brushed Nickel
 CH - Chrome



*Preliminary figures



VL7836-CH





VL7824-CH

SEE MATCHING PRODUCTS FROM THE COLLECTION



Chandeliers and Pendants - Pages 98-109



SOLARIS - VL7836 / VL7824

Diamond-cut clear crystals
Dimmable with ELV dimmer (not included)
Custom options available

	VL7836	VL7824
WATTAGE:	35W*	23W*
VOLTAGE:	120V	120V
TOTAL LUMENS:	3000*	2000*
DELIVERED LUMENS:	1767*	1256*

COLOR TEMP	3000K / 4000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome





WS7830-CH







WS7824-CH



WS7818-CH



WS7812-CH



GAMMA - WS7830 / WS7824 / WS7818 / WS7812

Cylinder-shaped linear wall sconces
Diamond-cut clear crystals
Dimmable with ELV dimmer (not included)
Custom options available

	WS7830	WS7824	WS7818	WS7812
WATTAGE:	26W	23W	15W	11.5W
VOLTAGE:	120V	120V	120V	120V
TOTAL LUMENS:	2000	1600	1200	800
DELIVERED LUMENS:	1646*	1255*	1010*	628*

COLOR TEMP	3000K / 4000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome

*Preliminary figures



VL9542-PT





VL9542-GB



VL9524-PT



VL9524-GB



OSLO - VL9542 / VL9524

Ice-inspired, molded glass
 Electroplated steel and aluminum construction
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available

	VL9542	VL9524
WATTAGE:	35W	19W
VOLTAGE:	120V	120V
TOTAL LUMENS:	2500	1500
DELIVERED LUMENS:	1275*	764

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS

FINISH:
 GB - Brushed Gold
 PT - Platinum







VL53228-PT




VL53228-CH



VL53223-PT



VL53223-CH



PROPELLER - VL53228 / VL53223

Hand-formed steel tubes with powder-coated or electroplated finishes
 Twin polymeric diffusers
 Dimmable with ELV dimmer (not included)
 Custom options available

	WS53228	WS53224
WATTAGE:	20W	16W
VOLTAGE:	120V	120V
TOTAL LUMENS:	1600	1200
DELIVERED LUMENS:	743*	527*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome PT - Platinum






VL3918-CH




VL3912-CH




VL3906-CH



VL3918



VL3912



VL3906

BERG - VL3918 / VL3912 / VL3906

Machined acrylic with internal diffuser
 Electroplated formed steel trim and wall plate
 May be mounted vertically or horizontally
 Up and down light or down light
 Dimmable with ELV dimmer (not included)
 Custom options available

	VL3918	VL3912	VL3906
WATTAGE:	15W	11.4W	8.2W
VOLTAGE:	120V	120V	120V
TOTAL LUMENS:	1200	800	800
DELIVERED LUMENS:	927*	795*	594*


COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome



*Preliminary figures



VL10337-BK




VL10337-WH



VL10337-BN



VL10337-GD



VEGA - VL10337

Machined aluminum with powder-coated finish or electroplated finish.

Machined die-cast aluminum backplate with concealed fasteners.

May be mounted vertically or horizontally
Dimmable with ELV dimmer (not included)
Custom options available

WATTAGE: 23W
VOLTAGE: 120V
TOTAL LUMENS: 2000
DELIVERED LUMENS: 1406*

COLOR TEMP 3000K
CRI (RA) >90
DIMMING 100%-10%
RATED LIFE 50,000 HOURS

FINISH:
BK - Black
BN - Brushed Nickel
GD - Gold
WH - White






VL10323-BK





VL10323-WH



VL10323-BN



VL10323-GD



VEGA - VL10323

Machined aluminum with powder-coated finish or electroplated finish.

Machined die-cast aluminum backplate with concealed fasteners.

May be mounted vertically or horizontally

Dimmable with ELV dimmer (not included)


Custom options available

WATTAGE: 13W
VOLTAGE: 120V
TOTAL LUMENS: 1200
DELIVERED LUMENS: 689


COLOR TEMP: 3000K
CRI (RA): >90
DIMMING: 100%-10%
RATED LIFE: 50,000 HOURS

FINISH:
 BK - Black
 BN - Brushed Nickel
 GD - Gold
 WH - White






601002-LED



601001-LED



VL0118



601002CH-LED



601001CH-LED




VL0118-CH

LIGHTHOUSE - VL0118 / 601001-LED / 601002-LED




Cylindrical white opal glass with electroplated formed steel detail
 Frosted side diffusers
 Up and down light
 Dimmable with ELV dimmer (not included)

	VL0118	601001-LED	601002-LED	COLOR TEMP	3000K
WATTAGE:	20W	31W	39W	CRI (RA)	>90
VOLTAGE:	120V	120V	120V	DIMMING	100%–10%
TOTAL LUMENS:	1600	2400*	3600	RATED LIFE	50,000 HOURS
DELIVERED LUMENS:	1100*	1503*	2403 *	FINISH:	BN -Brushed Nickel CH - Chrome



601004-LED



601003LED



601004CH-LED



601003CH-LED

PEGGY - 601004-LED / 601003-LED



Semi-cylindrical white opal glass with electroplated, formed steel detail
 Frosted side diffusers
 Up and down light
 Dimmable with ELV dimmer (not included)
 Custom options available


	601004CH-LED	601003CH-LED	COLOR TEMP	3000K
WATTAGE:	43W	28W	CRI (RA)	>90
VOLTAGE:	120V	120V	DIMMING	100%–10%
TOTAL LUMENS:	3600	2400*	RATED LIFE	50,000 HOURS
DELIVERED LUMENS:	2460	1260*	FINISH:	CH - Chrome




601465CH-LED



601464CH-LED



601465CH-LED




601464CH-LED

CHARLOTTE - 601465-LED / 601464-LED

Semi-cylindrical opal diffuser with electroplated formed steel detail
Metal side covers
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

	601465CH-LED	601464CH-LED
WATTAGE:	40W	29.5W
VOLTAGE:	120V	120V
TOTAL LUMENS:	3600	2400
DELIVERED LUMENS:	2000*	1525*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome



VL12323-BN


RILEY - VL12323

Rectangular opal diffuser with electroplated formed steel detail
Up and down light
Dimmable with ELV dimmer (not included)
Custom options available

WATTAGE:	27W
VOLTAGE:	120V
TOTAL LUMENS:	2400*
DELIVERED LUMENS:	1762

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	BN - Brushed Nickel






VL54505




VL54505-CH



VL54510




VL54510-VB



VL54516



VL54516-CH



VL54522



VL54522-VB

SEE MATCHING PRODUCTS
FROM THE COLLECTION



Pendants - Page 259

ANNAPOLIS - VL54522 / VL54516 / VL54510 / VL54505

Cast clear glass with electroplated
formed steel detail
Up or down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL54522	VL54516	VL54510	VL54505
WATTAGE:	19W	14W	10W	5W
VOLTAGE:	120V	120V	120V	120V
TOTAL LUMENS:	1600	1200	800	400
DELIVERED LUMENS:	900*	688*	473*	233*


COLOR TEMP
CRI (RA)
DIMMING
RATED LIFE
FINISH:

3000K
>90
100%-10%
50,000 HOURS
CH - Chrome
VB - Vintage Brass







VL56205-BN




VL56210-CH



VL56216-BN



VL56221-CH



SEE MATCHING PRODUCTS FROM THE COLLECTION



Pendants - Page 259

TULIP - VL56221 / VL56216 / VL56210 / VL56205


Cast clear glass with electroplated formed steel detail
Up or down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL56221	VL56216	VL56210	VL56205
WATTAGE:	16W	12W	8W	4W
VOLTAGE:	120V	120V	120V	120V
TOTAL LUMENS:	1600	1200	800	400
DELIVERED LUMENS:	916*	687*	458*	229*




COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	BN - Brushed Nickel CH - Chrome



*Preliminary figures



VL54204-VB



VL54210-CH



VL54216-VB



VL54222-CH

BASIN - VL54222 / VL54216 / VL54210 / VL54204

Cast clear glass with electroplated formed steel detail
Up or down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL54222	VL54216	VL54210	VL54204
WATTAGE:	19W	14W	10W	5W
VOLTAGE:	120V	120V	120V	120V
TOTAL LUMENS:	1600	1200	800	400
DELIVERED LUMENS:	1033*	735*	533*	238*


COLOR TEMP
CRI (RA)
DIMMING
RATED LIFE
FINISH:

3000K
>90
100%–10%
50,000 HOURS
CH - Chrome
VB - Vintage Brass








VL52105-VB



VL52112-CH



VL52119-CH



VL52125-VB



CITADEL - VL52125 / VL52119 / VL52112 / VL52105


Cast clear glass with electroplated
formed steel detail
Up or down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL52125	VL52119	VL52112	VL52105
WATTAGE:	19W	14W	10W	5W
VOLTAGE:	120V	120V	120V	120V
TOTAL LUMENS:	1600	1200	800	400
DELIVERED LUMENS:	881*	658*	492*	246*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%–10%
RATED LIFE	50,000 HOURS
FINISH:	CH - Chrome VB - Vintage Brass




*Preliminary figures



VL56505




VL56505-CH



VL56512




VL56512-BN



VL56517



VL56517-CH



VL56522



VL56522-BN



LANTERN - VL56522 / VL56517 / VL56512 / VL56505

Cast clear glass with electroplated
formed steel detail
Up or down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL56522	VL56517	VL56512	VL56505
WATTAGE:	16W	12W	8W	4W
VOLTAGE:	120V	120V	120V	120V
TOTAL LUMENS:	1600	1200	800	400
DELIVERED LUMENS:	916*	687*	458*	229*


COLOR TEMP
CRI (RA)
DIMMING
RATED LIFE
FINISH:

3000K
>90
100%-10%
50,000 HOURS
BN - Brushed Nickel
CH - Chrome






VL56405-BN



VL56405




VL56410-CH




VL56410



VL56416-BN



VL56416



VL56421



VL56421-CH

SEE MATCHING PRODUCTS FROM THE COLLECTION



Pendants - Page 259

MALT - VL56421 / VL56416 / VL56410 / VL56405

Cast clear glass with electroplated formed steel detail
Up or down light
Dimmable with ELV dimmer (not included)
Custom options available

	VL56421	VL56416	VL56410	VL56405
WATTAGE:	16W	12W	8W	4W
VOLTAGE:	120V	120V	120V	120V
TOTAL LUMENS:	1600	1200	800	400
DELIVERED LUMENS:	916*	687*	458*	229*

COLOR TEMP	3000K
CRI (RA)	>90
DIMMING	100%-10%
RATED LIFE	50,000 HOURS
FINISH:	BN - Brushed Nickel CH - Chrome

*Preliminary figures